

# RECORD OF PROCEEDINGS

Minutes of THE WASHINGTON TOWNSHIP BOARD OF TRUSTEES

Meeting

national  
graphics

National Graphics Corp., Col., O. Form No. 1097

Held July 2, 1992


19


## SPECIAL MEETING RE: BRINE APPLICATION ON ROADS


Resolution 92-08 The Washington Township Board of Trustees adopts this resolution permitting the use of brine, as needed, on all Township roads for control of dust and ice. The use of brine for these purposes shall be subject to the following standards:


- 1) Brine shall not be applied:
  - a) To a water-saturated surface;
  - b) Directly to vegetation near or adjacent to surfaces being treated;
  - c) Within twelve feet of structures crossing bodies of water or crossing drainage ditches;
  - d) Between sundown and sunrise, except for ice control.
- 2) The discharge of brine through the spreader bar shall stop when the application stops;
- 3) The applicator vehicle shall be moving at least five miles per hour at all times while the brine is being applied;
- 4) The maximum spreader bar nozzle opening shall be three-quarters of an inch in diameter;
- 5) The maximum uniform application rate of brine shall be three thousand gallons per mile on a twelve-foot-wide road or three gallons per sixty square feet on unpaved lots;
- 6) The applicator vehicle discharge valve shall be closed between the brine collection point and the specific surfaces that have been approved for brine application;
- 7) Any valves that provide for tank draining other than through the spreader bar shall be closed during the brine application and transport;
- 8) The angle of discharge from the applicator vehicle spreader bar shall not be greater than sixty degrees from the perpendicular to the unpaved surface;
- 9) Only the last twenty-five percent of an applicator vehicle's contents shall be allowed to have a pressure greater than atmospheric pressure; therefore, the first seventy-five percent of the applicator vehicle's contents shall be discharged under atmospheric pressure.

Mr. Myers moved that Resolution 92-08 be passed as stated above. Seconded by Mr. Torrens, vote unanimous.

  
John R. Torrens, Pres.

  
Jack T. Londot, Bd. Member

  
Myers W. Hull, V. Pres.

  
Phillip M. Shaw, Clerk